## **Index to Volume 38**

## **Authors and Titles**

Andersen, A. N .-

Andromonoecy in four Australian species of Leptospermum 511

Ash, J. E. See Willis, A. J. 217; May, F. E. 245

Ashton, D. H. See Clayton-Greene, K. A. 403

Atkins, C. A. See Craig, G. F. 619 Atkins, L. See Hobbs, R. J. 97

Auld, T. D .-

The survival of juvenile plants of the resprouting shrub Angophora hispida (Myrtaceae) after a simulated low-intensity fire 255

Baroni Fornasiero, R. See Medeghini Bonatti, P. 53

Batianoff, G. N., Reeves, R. D., and Specht,

Stackhousia tryonii: a nickel-accumulating serpentinite-endemic species of central Queensland 121

Becker, S. L. See Marks, G. C. 341

Bell, D. T. See Bellairs, S. M. 451; Craig, G. F. 619

Bell, J. C. See Prober, S. M. 79

Bell, L. C. See Olsen, J. K. 281 Bellairs, S. M., and Bell, D. T.—

Temperature effects on the seed germination of ten Kwongan species from Eneabba, Western Australia 451

Blacklow, W. M. See Kon, K. F. 609

Boughton, V. H .-

Aspects of phyllode anatomy in some Australian phyllodinous acacias, with particular regard to stickiness 131

Bowman, D. M. J. S., Panton, W. J., and McDonough, L.—

Dynamics of forest clumps on chenier plains, Cobourg Peninsula, Northern Territory 593

Burrows, G. E .-

Anatomical aspects of root bud development in hoop pine (*Araucaria cunninghamii*) 73 Busby, J. R. See Read, J. 185

Cameron, B. G., and Prakash, N.— Occurrence of giant antipodals in the female gametophytes of Australian Bossiaeeae, Indigofereae and Mirbelieae (Leguminosae) 395 Carr, D. J., and Carr, S. G. M .-

Staurocytic stomatal complexes in species of Monocalyptus sensu Carr and Carr (Eucalyptus: Myrtaceae) 45

Carr, (the late) S. G. M. See Carr, D. J. 45

Chopra, R. N., and Vashistha, B. D.—
 The effect of auxins and antiauxins on shoot-bud induction and morphology in the moss,
 Bryum atrovirens 177

Clayton-Greene, K. A., and Ashton, D. H.— The dynamics of Callitris columellaris/ Eucalyptus albens communities along the Snowy River and its tributaries in southeastern Australia 403

Craig, G. F., Bell, D. T., and Atkins, C. A.— Response to salt and waterlogging stress of ten taxa of *Acacia* selected from naturally saline areas of Western Australia 619

Craig, I. See Old, K. M. 571

Czeczuga, B., and Kantvilas, G.—
Carotenoids in lichens from Tasmanian forests 517

Dixon, K. W. See Meney, K. A. 523, 543 Dodd, W. A. See Kantharajah, A. S. 169

Fuss, A. M., and Sedgley, M.— Floral initiation and development in relation to the time of flowering in *Banksia coccinea* and *B. menziesii* (Proteaceae) 487

Gibbs, R. See Old, K. M. 571 Gibson, N.—

The enviror

The environments and primary production of cushion species at Mt Field and Mt Wellington, Tasmania 229

Goldingay, R. L., and Whelan, R. J.— Breeding system and tests for pollen-limitation in two species of *Banksia* 63

Gore, P. L., Potts, B. M., Volker, P. W., and Megalos, J.—

Unilateral cross-incompatibility in Eucalyptus: the case of hybridisation between E. globulus and E. nitens 383

Graham, A. W., and Hopkins, M. S.— Soil seed banks of adjacent unlogged rainforest types in north Queensland 261 Gross, C. L .-

The breeding systems of three co-occurring legumes: Dillwynia hispida, D. uncinata and Pultenaea densifolia (Leguminosae: Papilionoideae) 207

Heide-Jørgensen, H. S .-

Xeromorphic leaves of *Hakea suaveolens*. IV.
Ontogeny, structure and function of the sclereids 25

Hobbs, R. J., and Atkins, L .-

Fire-related dynamics of a Banksia woodland in south-western Western Australia 97

Hodgkinson, K. C., and Oxley, R. E.— Influence of fire and edaphic factors on germination of the arid zone shrubs Acacia aneura, Cassia nemophila and Dodonaea viscosa 269

Hopkins, M. S. See Graham, A. W. 261
Howell, G., and Prakash, N.—
Embryology and reproductive ecology of the
Darling lily, Crinum flaccidum 433

Johnston, R. D. See Lacey, C. J. 299

Kantharajah, A. S., and Dodd, W. A.— Factors that influence the yield and viability of cucumber (Cucumis sativus) cotyledon protoplasts 169

Kantvilas, G. See Czeczuga, B. 517 Kodela, P. G.—

Modern pollen rain from forest communities on the Robertson Plateau, New South Wales 1

Kon, K. F., and Blacklow, W. M.— Polymorphism, outcrossing and polyploidy in Bromus diandrus and B. rigidus 609

Lacey, C. J., and Johnston, R. D.—
Woody clumps and clumpwoods 299
Lamont, B. B. See Low, A. B. 351
Lonie, J. S. See Peters, G. B. 559
Low, A. B., and Lamont, B. B.—
Aerial and below-ground phytomass of
Banksia scrub-heath at Eneabba, southwestern Australia 351

Marks, G. C., and Becker, S. L.— Influence of propazine and chlorthal dimethyl on mycorrhizal development in *Pinus* radiata seedlings 341

May, F. E., and Ash, J. E.—
An assessment of the allelopathic potential of Eucalyptus 245

Maze, K. M., and Whalley, R. D. B.—
Sex ratios and related characteristics in
Spinifex sericeus (Poaceae) 153
McDonough, L. See Bowman, D. M. J. S. 593

McFarland, D. C .-

Flower and seed phenology of some plants in the subtropical heathlands of Cooloola National Park, Queensland, Australia 501

McGee, P. A .-

Survival and growth of seedlings of coachwood (Ceratopetalum apetalum): effects of shade, mycorrhizas and a companion plant 583

McIntyre, S., and Whalley, R. D. B.— Co-occurrence of *Vulpia* species on the northern tablelands of New South Wales 445

Medeghini Bonatti, P., and Baroni Fornasiero, R.—

Developmental pattern and structural organisation of leaf chloroplasts in Lepidozamia peroffskyana 53

Megalos, J. See Gore, P. L. 383 Melick, D. R.—

Regenerative succession of Tristaniopsis
laurina and Acmena smithii in riparian
warm temperate rainforest in Victoria, in
relation to light and nutrient regimes 111

Relative drought resistance of *Tristaniopsis*laurina and Acmena smithii from riparian
warm temperate rainforest in Victoria 361

Flood resistance of *Tristaniopsis laurina* and Acmena smithii from riparian warm temperate rainforest in Victoria 371

Meney, K. A., Pate, J. S., and Dixon, K. W.— Comparative morphology, anatomy, phenology and reproductive biology of Alexgeorgea spp. (Restionaceae) from south-western Western Australia 523

Phenology of growth and resource deployment in Alexgeorgea nitens (Restionaceae), a clonal species from southwestern Western Australia 543

Moran, G. F. See Prober, S. M. 79; Peters, G. B. 559

Myers, B. J. See Old, K. M. 571

Old, K. M., Gibbs, R., Craig, I., Myers, B. J., and Yuan, Z. Q.—

Effect of drought and defoliation on the susceptibility of eucalypts to cankers caused by *Endothia gyrosa* and *Botryosphaeria* ribis 571

Olsen, J. K., and Bell, L. C.—
A glasshouse evaluation of 'critical' N and P concentrations and N:P ratios in various plant parts of six eucalynt species 281

Oxley, R. E. See Hodgkinson, K. C. 269

Panetta, F. D.—
Isozyme variation in Australian and South
African populations of *Emex australis* 161

Panton, W. J. See Bowman, D. M. J. S. 593 Pate, J. S. See Meney, K. A. 523, 543

Peters, G. B., Lonie, J. S., and Moran, G. F.— The breeding system, genetic diversity and pollen sterility in *Eucalyptus pulverulenta*, a rare species with small disjunct populations 559

Potts, B. M. See Gore, P. L. 383 Prakash, N. See Cameron, B. G. 395; Howell, G. 433

Prober, S. M., Tompkins, C., Moran, G. F., and Bell, J. C.—

The conservation genetics of Eucalyptus
paliformis and E. parvifolia, two rare
species from south-eastern Australia 79

Putz, F. E.— Growth habits and trellis requirements of climbing palms (*Calamus* spp.) in north-

Read, J., and Busby, J. R .-

eastern Queensland 603

Comparative responses to temperature of the major canopy species of Tasmanian cool temperate rainforest and their ecological significance. II. Net photosynthesis and climate analysis 185

Reeves, R. D. See Batianoff, G. N. 121 Rundel, P. W. See Specht, R. L. 459 Sedgley, M. See Fuss, A. M. 487
Specht, R. L., and Rundel, P. W.—
Sclerophylly and foliar nutrient status of mediterranean-climate plant communities in southern Australia 459
See also Batianoff. G. N. 121

Tompkins, C. See Prober, S. M. 79

Vashistha, B. D. See Chopra, R. N. 177
Vaughton, G.—
Predation by insects limits seed production in
Banksia spinulosa var. neoanglica
(Proteaceae) 335
Volker, P. W. See Gore, P. L. 383

Whalley, R. D. B. See Maze, K. M. 153; McIntyre, S. 445 Whelan, R. J. See Goldingay, R. L. 63 Willis, A. J., and Ash, J. E.— The breeding systems of Stylidium graminifolium and S. productum (Stylidiaceae) 217

 Yan, Z.—
 Host specificity of Lysiana exocarpi subsp. exocarpi and other mistletoes in southern South Australia 475
 Yuan, Z. Q. See Old, K. M. 571